T YAKUTAT, WEST- SIDE, AND GULFWIDE
TAC
_

	Chirikof (620)	n/a	81,784	81,784
	Kodiak (630)	n/a	39,756	39,756
	WYK (640)	n/a	4,741	4,741
	W/C/WYK (subtotal)	211,998	162,351	162,351
	SEO (650)	16,833	12,625	12,625
Desition and 2	Total	228,831	174,976	174,976
Pacific cod ³	W	n/a	32,745	22,922
	<u>C</u>	n/a	53,100	39,825
	E	n/a	2,655	1,991
0-1-1-6-1-4	Total	107,300	88,500	64,738
Sablefish ⁴	W	n/a	1,480	1,480
	C	n/a	4,681	4,681
	WYK	n/a	1,716	1,716
	SEOE (WYK and SEO) (subtotal)	n/a n/a	2,695 4,411	2,695 4,411
	Total	12,500	10,572	10,572
Shallow-water flatfish 5	W	n/a	20,376	13,250
Shallow-water hathshir	C	n/a	17,813	17,813
	WYK	n/a	2,039	2,039
	SEO	n/a	577	577
	Total	50,007	40,805	33,679
Deep-water flatfish 6	W	00,007 n/a	302	302
200p mater nation	C	n/a	3,727	3,727
	WYK	n/a	5,532	5,532
	SEO	n/a	3,911	3,911
	Total	16,159	13,472	13,472
Rex sole	W	n/a	1,270	1,270
	C	n/a	6,231	6,231
	WYK	n/a	813	813
	SEO	n/a	1,027	1,027
	Total	12,207	9,341	9,341
Arrowtooth flounder	W	n/a	31,142	14,500
	C	n/a	115,612	75,000
	WYK	n/a	37,232	6,900
	SEO	n/a	11,372	6,900
	Total	229,248	195,358	103,300
Flathead sole	W	n/a	12,730	8,650
	C	n/a	24,805	15,400
	WYK	n/a	3,525	3,525
	SEO	n/a	171	171
	Total	50,664	41,231	27,746
Pacific ocean perch7	W	n/a	2,399	2,399
	C	n/a	12,855	12,855
	WYK	n/a	1,931	1,931
	W/C/WYK subtotal	21,016	17,185	17,185
	SEO	1,303	2,124	2,124
	Total	22,319	19,309	19,309
Northern rockfish ⁸	W	n/a	1,305	1,305
	<u>C</u>	n/a	4,017	4,017
	<u>E</u>	n/a	n/a	n/a
	Total	6,349	5,322	5,322
Shortraker rockfish 9	W	n/a	92	92
	<u>C</u>	n/a	397	397
	E	n/a	834	834
5 1 10 10	Total	1,764	1,323	1,323
Dusky rockfish 10	W	n/a	317	317
	C	n/a	3,584	3,584
	WYK	n/a	1,384	1,384
	SEO	n/a	201	201
	Total	6,708	5,486	5,486
Rougheye and Blackspotted rockfish 11	W	n/a	82	82
	<u>C</u>	n/a	864	864
	E	n/a	298	298
D 11 1/2 1/2 1/2	Total	1,497	1,244	1,244
Demersal shelf rockfish ¹²	SEO	438	274	274
Thornyhead rockfish	W	n/a	235	235
	C	n/a	875 731	875 731
	Ē	n/a	731	/31

Other rockfish ¹³¹⁴	Total	2,454	1,841	1,841
		n/a	1,031	1,031
	WYK	n/a	580	580
	SEO	n/a	2,470	200
	Total	5,347	4,081	1,811
Atka mackerel		6,200	4,700	2,000
Big skate 15		n/a	589	589
	<u>C</u>	n/a	1,532	1,532
	E	n/a	1,641	1,641
	Total	5,016	3,762	3,762
Longnose skate 16		n/a	107	107
	C	n/a	1,935	1,935
	E	n/a	834	834
	Total	3,835	2,876	2,876
Other skates 17	GW	2,652	1,989	1,989
Sculpins		7,448	5,569	5,569
Sharks		7,986	5,989	5,989
Squids	GW	1,530	1,148	1,148
Octopus	GW	2,009	1,507	1,507
	Total	790,468	640,675	499,274
WYK=West Yakutat District; SEO=South ² Pollock is apportioned in the Weste	rn/Central Regulatory Areas among three stati- elative distribution of pollock biomass of approxi-	stical areas. During t	he A season, the a	pportionment is
ical Areas 610, 620, and 630, respective	ely. During the B season, the apportionment is be	nacely to percent, o	distribution of pollock	k hiomass at 16
percent 74 percent and 10 percent in	Statistical Areas 610, 620, and 630, respective	bacca on the relative	diotribution of policor	
Delcent, 14 Delcent, and 10 Delcent III		<i>r</i> ely. During the C an	ld D seasons. the a	pportionment is
based on the relative distribution of poll	ock biomass at 36 percent, 28 percent, and 35	nercent in Statistica	L Areas 610 620 ar	pportionment is
based on the relative distribution of poll tively. Table 3 lists the final 2014 seasor	ock biomass at 36 percent, 28 percent, and 35 nal apportionments. In the West Yakutat and Sc	nercent in Statistica	L Areas 610 620 ar	pportionment is
based on the relative distribution of poll tively. Table 3 lists the final 2014 seasor pollock is not divided into seasonal allow	ock biomass at 36 percent, 28 percent, and 35 nal apportionments. In the West Yakutat and Sc rances.	5 percent in Statistica outheast Outside Distr	l Areas 610, 620, ar icts of the Eastern R	pportionment is nd 630, respec- tegulatory Area,
based on the relative distribution of poll tively. Table 3 lists the final 2014 seasor pollock is not divided into seasonal allow 3 The annual Pacific cod TAC is appo	ock biomass at 36 percent, 28 percent, and 35 al apportionments. In the West Yakutat and Sc ances. rtioned 60 percent to the A season and 40 per	5 percent in Statistica outheast Outside Distr rcent to the B seasor	I Areas 610, 620, ar icts of the Eastern R	pportionment is nd 630, respec- legulatory Area, d Central Regu-
based on the relative distribution of poll tively. Table 3 lists the final 2014 seasor pollock is not divided into seasonal allow ³ The annual Pacific cod TAC is appo latory Areas of the GOA. Pacific cod in	ock biomass at 36 percent, 28 percent, and 35 nal apportionments. In the West Yakutat and Sc rances. rtioned 60 percent to the A season and 40 per the Eastern Regulatory Area is allocated 90 p	5 percent in Statistica butheast Outside Distr cent to the B seasor percent for processing	I Areas 610, 620, ar icts of the Eastern R in the Western and by the inshore com	pportionment is nd 630, respec- legulatory Area, d Central Regu-
based on the relative distribution of poll tively. Table 3 lists the final 2014 seasor pollock is not divided into seasonal allow ³ The annual Pacific cod TAC is appo- latory Areas of the GOA. Pacific cod in percent for processing by the offshore co	ock biomass at 36 percent, 28 percent, and 35 nal apportionments. In the West Yakutat and Sciances. In the A season and 40 per the Eastern Regulatory Area is allocated 90 percent. Table 5 lists the final 2014 Pacific co	5 percent in Statistica butheast Outside Distr recent to the B seasor percent for processing d seasonal apportion	I Areas 610, 620, ar icts of the Eastern R in the Western and by the inshore com- nents.	pportionment is nd 630, respec- legulatory Area, d Central Regu-
based on the relative distribution of poll tively. Table 3 lists the final 2014 seasor pollock is not divided into seasonal allow ³ The annual Pacific cod TAC is appolatory Areas of the GOA. Pacific cod in percent for processing by the offshore cc ⁴ Sablefish is allocated to trawl and ho ⁵ "Shallow-water flatfish" means flatfish	ock biomass at 36 percent, 28 percent, and 35 nal apportionments. In the West Yakutat and Sciances. Tioned 60 percent to the A season and 40 per the Eastern Regulatory Area is allocated 90 pomponent. Table 5 lists the final 2014 Pacific conk-and-line gear in 2014. Table 7 lists the final on not including "deep-water flatfish." flathead so	or percent in Statistical putheast Outside Distriction to the B season percent for processing diseasonal apportion 2014 allocations of salle, rex sole, or arrowly	I Areas 610, 620, ar icts of the Eastern R in the Western and by the inshore com- ments. iblefish TACs.	pportionment is nd 630, respec- legulatory Area, d Central Regu-
based on the relative distribution of poll tively. Table 3 lists the final 2014 seasor pollock is not divided into seasonal allow ³ The annual Pacific cod TAC is appolatory Areas of the GOA. Pacific cod in percent for processing by the offshore co ⁴ Sablefish is allocated to trawl and ho ⁵ "Shallow-water flatfish" means Dover so	ock biomass at 36 percent, 28 percent, and 35 nal apportionments. In the West Yakutat and Sciances. It is a season and 40 per the Eastern Regulatory Area is allocated 90 perponent. Table 5 lists the final 2014 Pacific cook-and-line gear in 2014. Table 7 lists the final in not including "deep-water flatfish," flathead so be Greenland turbot. Kamchatka flounder, and	or percent in Statistical putheast Outside Distriction to the B season percent for processing diseasonal apportion 2014 allocations of salle, rex sole, or arrowly	I Areas 610, 620, ar icts of the Eastern R in the Western and by the inshore com- ments. iblefish TACs.	pportionment is nd 630, respec- legulatory Area, d Central Regu-
based on the relative distribution of poll tively. Table 3 lists the final 2014 seasor pollock is not divided into seasonal allow 3 The annual Pacific cod TAC is appolatory Areas of the GOA. Pacific cod in percent for processing by the offshore co 4 Sablefish is allocated to trawl and ho 5 "Shallow-water flatfish" means flatfish 6 "Deep-water flatfish" means Dover so 7 "Pacific ocean perch" means Sebast	ock biomass at 36 percent, 28 percent, and 35 hal apportionments. In the West Yakutat and Sciances. In the A season and 40 per the Eastern Regulatory Area is allocated 90 perponent. Table 5 lists the final 2014 Pacific cook-and-line gear in 2014. Table 7 lists the final in not including "deep-water flatfish," flathead so ble, Greenland turbot, Kamchatka flounder, and es alutus.	o percent in Statistical putheast Outside Distriction to the B season dercent for processing diseasonal apportion 2014 allocations of salle, rex sole, or arrown deepsea sole.	I Areas 610, 620, ar icts of the Eastern R in the Western and by the inshore comments. Iblefish TACs. ooth flounder.	ipportionment is and 630, respectegulatory Area, differential Regunponent and 10
based on the relative distribution of poll tively. Table 3 lists the final 2014 seasor pollock is not divided into seasonal allow 3 The annual Pacific cod TAC is appolatory Areas of the GOA. Pacific cod in percent for processing by the offshore co 4 Sablefish is allocated to trawl and ho 5 "Shallow-water flatfish" means flatfish "Deep-water flatfish" means Dover so "Pacific ocean perch" means Sebastes 8 "Northern rockfish" means Sebastes	ock biomass at 36 percent, 28 percent, and 35 hal apportionments. In the West Yakutat and Sciances. Trioned 60 percent to the A season and 40 per the Eastern Regulatory Area is allocated 90 perponent. Table 5 lists the final 2014 Pacific cook-and-line gear in 2014. Table 7 lists the final in not including "deep-water flatfish," flathead so be, Greenland turbot, Kamchatka flounder, and es alutus. **polyspinis**. For management purposes the 2 miles.	o percent in Statistical putheast Outside Distriction to the B season dercent for processing diseasonal apportion 2014 allocations of salle, rex sole, or arrown deepsea sole.	I Areas 610, 620, ar icts of the Eastern R in the Western and by the inshore comments. Iblefish TACs. ooth flounder.	ipportionment is and 630, respectegulatory Area, differential Regunponent and 10
based on the relative distribution of poll tively. Table 3 lists the final 2014 seasor pollock is not divided into seasonal allow 3 The annual Pacific cod TAC is appolatory Areas of the GOA. Pacific cod in percent for processing by the offshore co 4 Sablefish is allocated to trawl and ho 5 "Shallow-water flatfish" means flatfish "Deep-water flatfish" means Dover so 7 "Pacific ocean perch" means Sebastes 8 "Northern rockfish" means Sebastes ern Gulf of Alaska has been included in	ock biomass at 36 percent, 28 percent, and 35 hal apportionments. In the West Yakutat and Sciances. In the A season and 40 per the Eastern Regulatory Area is allocated 90 pomponent. Table 5 lists the final 2014 Pacific cook-and-line gear in 2014. Table 7 lists the final in not including "deep-water flatfish," flathead so ble, Greenland turbot, Kamchatka flounder, and es alutus. polyspinis. For management purposes the 2 muther the other rockfish species group.	o percent in Statistical putheast Outside Distriction to the B season dercent for processing diseasonal apportion 2014 allocations of salle, rex sole, or arrown deepsea sole.	I Areas 610, 620, ar icts of the Eastern R in the Western and by the inshore comments. Iblefish TACs. ooth flounder.	ipportionment is and 630, respectegulatory Area, differential Regunponent and 10
based on the relative distribution of poll tively. Table 3 lists the final 2014 seasor pollock is not divided into seasonal allow ³ The annual Pacific cod TAC is appolatory Areas of the GOA. Pacific cod in percent for processing by the offshore co ⁴ Sablefish is allocated to trawl and ho ⁵ "Shallow-water flatfish" means flatfish "Deep-water flatfish" means Dover so "Pacific ocean perch" means Sebastes "Northern rockfish" means Sebastes ern Gulf of Alaska has been included in "Shortraker rockfish" means Sebastes	ock biomass at 36 percent, 28 percent, and 35 hal apportionments. In the West Yakutat and Sciances. It is a season and 40 per the Eastern Regulatory Area is allocated 90 pomponent. Table 5 lists the final 2014 Pacific condevand-line gear in 2014. Table 7 lists the final not including "deep-water flatfish," flathead so ble, Greenland turbot, Kamchatka flounder, and es alutus. polyspinis. For management purposes the 2 method to the rockfish species group.	o percent in Statistical putheast Outside Distriction to the B season dercent for processing diseasonal apportion 2014 allocations of salle, rex sole, or arrown deepsea sole.	I Areas 610, 620, ar icts of the Eastern R in the Western and by the inshore comments. Iblefish TACs. ooth flounder.	ipportionment is and 630, respectegulatory Area, differential Regunponent and 10
based on the relative distribution of poll tively. Table 3 lists the final 2014 seasor pollock is not divided into seasonal allow ³ The annual Pacific cod TAC is appolatory Areas of the GOA. Pacific cod in percent for processing by the offshore co ⁴ Sablefish is allocated to trawl and ho ⁵ "Shallow-water flatfish" means flatfish ⁶ "Deep-water flatfish" means Dover so ⁷ "Pacific ocean perch" means Sebastes ⁸ "Northern rockfish" means Sebastes ern Gulf of Alaska has been included in ⁹ "Shortraker rockfish" means Sebastes ¹⁰ "Dusky rockfish" means Sebastes vio "Dusky rockfish" means Sebas	ock biomass at 36 percent, 28 percent, and 35 hal apportionments. In the West Yakutat and Sciances. It is a season and 40 per the Eastern Regulatory Area is allocated 90 perponent. Table 5 lists the final 2014 Pacific colok-and-line gear in 2014. Table 7 lists the final in not including "deep-water flatfish," flathead so ble, Greenland turbot, Kamchatka flounder, and les alutus. Polyspinis. For management purposes the 2 method the rockfish species group.	o percent in Statistical putheast Outside Distriction to the B season dercent for processing diseasonal apportion 2014 allocations of salle, rex sole, or arrown deepsea sole.	I Areas 610, 620, ar icts of the Eastern R in the Western and by the inshore comments. Iblefish TACs. ooth flounder.	ipportionment is and 630, respectegulatory Area, differential Regunponent and 10
based on the relative distribution of poll tively. Table 3 lists the final 2014 seasor pollock is not divided into seasonal allow 3 The annual Pacific cod TAC is appolatory Areas of the GOA. Pacific cod in percent for processing by the offshore co 4 Sablefish is allocated to trawl and ho 5 "Shallow-water flatfish" means Dover so 7 "Pacific ocean perch" means Dover so 8 "Northern rockfish" means Sebastes ern Gulf of Alaska has been included in 9 "Shortraker rockfish" means Sebastes 10 "Dusky rockfish" means Sebastes vi 11 "Rougheye rockfish" means Sebastes vi 11 "Rougheye rockfish" means Sebastes	ock biomass at 36 percent, 28 percent, and 35 hal apportionments. In the West Yakutat and Sciances. Trioned 60 percent to the A season and 40 per the Eastern Regulatory Area is allocated 90 perponent. Table 5 lists the final 2014 Pacific colok-and-line gear in 2014. Table 7 lists the final in not including "deep-water flatfish," flathead so bole, Greenland turbot, Kamchatka flounder, and les alutus. polyspinis. For management purposes the 2 methodology the content of the content o	o percent in Statistical putheast Outside Districtus (blackspotted). Together to the B season percent for processing diseasonal apportion 2014 allocations of salle, rex sole, or arrown deepsea sole. In apportionment of A stictus (blackspotted).	I Areas 610, 620, ar icts of the Eastern R in the Western and by the inshore com- nents. iblefish TACs. ooth flounder.	ipportionment is not 630, respectegulatory Area, defented Reguntary Area, dependent and 10 defented frict of the East-
based on the relative distribution of poll tively. Table 3 lists the final 2014 seasor pollock is not divided into seasonal allow ³ The annual Pacific cod TAC is appolatory Areas of the GOA. Pacific cod in percent for processing by the offshore co ⁴ Sablefish is allocated to trawl and ho ⁵ "Shallow-water flatfish" means flatfish ⁶ "Deep-water flatfish" means Dover so ⁷ "Pacific ocean perch" means Sebastes on Gulf of Alaska has been included in ⁹ "Shortraker rockfish" means Sebastes of "Dusky rockfish" means Sebastes of ¹⁰ "Dusky rockfish" means Sebastes of ¹¹ "Rougheye rockfish" means Sebastes of ¹² "Demersal shelf rockfish" means Sebastes of ¹² "Demersal shelf rockfish" means Sebastes of ¹³ "Demersal shelf rockfish" means Sebastes of ¹⁴ "Demersal shelf rockfish" means Sebastes of ¹⁵ "Demersal shelf rockfish" means Sebastes of ¹⁶	ock biomass at 36 percent, 28 percent, and 35 hal apportionments. In the West Yakutat and Sciances. In the West Yakutat and Sciances. It is a season and 40 per the Eastern Regulatory Area is allocated 90 pomponent. Table 5 lists the final 2014 Pacific conde-and-line gear in 2014. Table 7 lists the final in not including "deep-water flatfish," flathead so ble, Greenland turbot, Kamchatka flounder, and es alutus. polyspinis. For management purposes the 2 method the other rockfish species group. It is borealis. It is borealis. It is aleutianus (rougheye) and Sebastes melanos Sebastes pinniger (canary), S. nebulosus (cutus (tiger) and S. ruberrimus (velloweve).	o percent in Statistical putheast Outside Distriction to the B season dercent for processing diseasonal apportion 2014 allocations of salle, rex sole, or arrowle deepsea sole. In apportionment of A stictus (blackspotted).	I Areas 610, 620, ar icts of the Eastern R in the Western and by the inshore com- nents. iblefish TACs. ooth flounder. BC to the WYK Distractions copper), S. maliger	pportionment is not 630, respectegulatory Area, defentral Regunponent and 10 rict of the East-requilibrack), S.
based on the relative distribution of poll tively. Table 3 lists the final 2014 seasor pollock is not divided into seasonal allow 3 The annual Pacific cod TAC is appolatory Areas of the GOA. Pacific cod in percent for processing by the offshore co 4 Sablefish is allocated to trawl and ho 5 "Shallow-water flatfish" means flatfish "Deep-water flatfish" means Dover so 7 "Pacific ocean perch" means Sebaste 8 "Northern rockfish" means Sebastes en Gulf of Alaska has been included in 9 "Shortraker rockfish" means Sebastes to 10 "Dusky rockfish" means Sebastes to 11 "Rougheye rockfish" means Sebastes to 12 "Demersal shelf rockfish" means helvomaculatus (rosethorn), S. nigrocinc 13 "Other rockfish" means Sebastes al	ock biomass at 36 percent, 28 percent, and 35 hal apportionments. In the West Yakutat and Sciances. In the West Yakutat and Sciances. It is a season and 40 per the Eastern Regulatory Area is allocated 90 percent. Table 5 lists the final 2014 Pacific coloronad-line gear in 2014. Table 7 lists the final not including "deep-water flatfish," flathead so ble, Greenland turbot, Kamchatka flounder, and es alutus. polyspinis. For management purposes the 2 method the other rockfish species group. It is borealis. Para aleutianus (rougheye) and Sebastes melanos Sebastes pinniger (canary), S. nebulosus (canary), and S. ruberrimus (yelloweye). Parora (aurora), S. melanostomus (blackgill), S. purpora (aurora), S. melanostomus (aurora), S. mel	o percent in Statistical putheast Outside Distriction to the B season dercent for processing diseasonal apportion 2014 allocations of salle, rex sole, or arrowd deepsea sole. In apportionment of A stictus (blackspotted). In thina), S. caurinus (paucispinis (bocaccio)	I Areas 610, 620, ar icts of the Eastern R in the Western and by the inshore comments. blefish TACs. ooth flounder. BC to the WYK Distraction of the the WYK Distraction of the WYK Di	pportionment is not 630, respectegulatory Area, degulatory Area, degulator
based on the relative distribution of poll tively. Table 3 lists the final 2014 seasor pollock is not divided into seasonal allow 3 The annual Pacific cod TAC is appolatory Areas of the GOA. Pacific cod in percent for processing by the offshore code 4 Sablefish is allocated to trawl and hos 5 "Shallow-water flatfish" means Dover sode 7 "Pacific ocean perch" means Sebastes 8 "Northern rockfish" means Sebastes ern Gulf of Alaska has been included in 9 "Shortraker rockfish" means Sebastes of 10 "Dusky rockfish" means Sebastes vill "Rougheye rockfish" means Sebastes vill "Rougheye rockfish" means Sebastes vill "Demersal shelf rockfish" means helvomaculatus (rosethorn), S. nigrocinc (darkblotch). S. elonaatus (greenstripeed darkblotch).	ock biomass at 36 percent, 28 percent, and 35 hal apportionments. In the West Yakutat and Sciances. In the West Yakutat and Sciances. It is a season and 40 per the Eastern Regulatory Area is allocated 90 perponent. Table 5 lists the final 2014 Pacific color-line gear in 2014. Table 7 lists the final in not including "deep-water flatfish," flathead so ble, Greenland turbot, Kamchatka flounder, and les alutus. Polyspinis. For management purposes the 2 methodother rockfish species group. Percentages alutions. Percentages alutions ariabilis. Per alution (rougheye) and Sebastes melanos Sebastes pinniger (canary), S. nebulosus (caus (tiger), and S. ruberrimus (yelloweye). Percentages (selloweye). Percentages (sellowey	o percent in Statistical putheast Outside Distriction to the B season dercent for processing diseasonal apportion 2014 allocations of salle, rex sole, or arrown deepsea sole. In apportionment of A stictus (blackspotted). Stictus (blackspotted). Stictus (bocaccio) N. S. babcocki (red)	I Areas 610, 620, ar icts of the Eastern R in the Western and by the inshore comments. Iblefish TACs. ooth flounder. BC to the WYK Distraction of the the WYK Distraction of the WYK D	pportionment is not 630, respectegulatory Area, defentral Regunponent and 10 rict of the East- (quillback), S. per), S. crameric (redstripe). S.
based on the relative distribution of poll tively. Table 3 lists the final 2014 seasor pollock is not divided into seasonal allow 3 The annual Pacific cod TAC is apposatory Areas of the GOA. Pacific cod in percent for processing by the offshore cd 4 Sablefish is allocated to trawl and ho 5 "Shallow-water flatfish" means flatfish 6 "Deep-water flatfish" means Dover so 7 "Pacific ocean perch" means Sebaste 8 "Northern rockfish" means Sebastesern Gulf of Alaska has been included in 9 "Shortraker rockfish" means Sebastes 10 "Dusky rockfish" means Sebastes 12 "Demersal shelf rockfish" means helvomaculatus (rosethorn), S. nigrocinc 13 "Other rockfish" means Sebastes al (darkblotch), S. elongatus (greenstriped gracentrus (sharrochin), S. iordani (shorth)	ock biomass at 36 percent, 28 percent, and 35 hal apportionments. In the West Yakutat and Sciances. In the West Yakutat and Sciances. It is a season and 40 per the Eastern Regulatory Area is allocated 90 percent. Table 5 lists the final 2014 Pacific coloronad-line gear in 2014. Table 7 lists the final not including "deep-water flatfish," flathead so ble, Greenland turbot, Kamchatka flounder, and es alutus. polyspinis. For management purposes the 2 method the other rockfish species group. It is borealis. Para aleutianus (rougheye) and Sebastes melanos Sebastes pinniger (canary), S. nebulosus (canary), and S. ruberrimus (yelloweye). Parora (aurora), S. melanostomus (blackgill), S. purpora (aurora), S. melanostomus (aurora), S. mel	o percent in Statistical putheast Outside Distriction to the B season percent for processing diseasonal apportion 2014 allocations of saile, rex sole, or arrown deepsea sole. In apportionment of A stictus (blackspotted). Thina), S. caurinus (baucispinis (bocaccio) y), S. babcocki (red) (litrose), S. saijcola (interest).	I Areas 610, 620, ar icts of the Eastern R in the Western and by the inshore coments. It is in the WYK Distriction of the WYK Distriction	pportionment is not 630, respectegulatory Area, defentral Reguntation and 10 rict of the East-reference (quillback), S. per), S. crameri (redstripe), S. s. (vernilion), S. s. (vernilio

S. polyspinis.

^{14 &}quot;Other rockfish" in the Western and Central Regulatory Areas and in the West Yakutat District means other rockfish and demersal shelf rockfish. The "other rockfish" species group in the SEO District only includes other rockfish.

15 "Big skate" means *Raja binoculata*.

16 "Longnose skate" means *Raja rhina*.

17 "Other skates" means *Bathyraja* spp.